

Fig. 2




Fig. 4

This figure shows an exploded perspective view of a portable electronic device. The main housing (1) is shown with a front panel (2) and a back panel (3). A display (4) is mounted on the front panel. A keyboard (5) is shown below the display. A camera (6) is mounted on the front panel. A microphone (6A) is also shown. A battery (7) is shown below the keyboard. A connector (8) is shown on the side of the housing. A screw (9) is shown on the top of the housing. A hinge (10) is shown on the side of the housing. A latch (11) is shown on the front panel. A button (12) is shown on the front panel. A speaker (13) is shown on the front panel. A port (14) is shown on the side of the housing.

Fig. 5

This figure shows another exploded perspective view of the same portable electronic device. It shows the front panel (2) and back panel (3) of the housing (1). The display (4) is shown on the front panel. The keyboard (5) is shown below the display. The camera (6) and microphone (6A) are shown on the front panel. The battery (7) is shown below the keyboard. The connector (8) is shown on the side of the housing. The screw (9) is shown on the top of the housing. The hinge (10) is shown on the side of the housing. The latch (11) is shown on the front panel. The button (12) is shown on the front panel. The speaker (13) is shown on the front panel. The port (14) is shown on the side of the housing.

Fig. 5




Fig. 6




Fig. 7




Fig. 8

Fig. 11





Fig. 12

Tensione di scarica della batteria e *Cutout* a 25°C






Fig. 13